

KONE KSS 420

Modernization of elevator signalization

This surface-mounted signalization solution is designed for use in residential and commercial buildings.

Saving energy

KONE has developed solutions that reduce energy consumption by dimming the signalization in the car at a preset time after the elevator has been used. This reduces signalization electricity consumption by up to 30% depending on the number of screens and the graphics of the screens.



Key Benefits

Eco-efficient

- Eco-efficient amber colored LED call registration illumination
- Dimming feature when elevator not in use

Safe

- Increases safety and accessibility of elevator users
- Complies with EN81-70 (European Accessibility Standard)
- Complies with EN81-73 (European Fire Behavior Standard)
- KONE Remote Monitoring for two-way emergency communication with KONE Customer Care Center*
- Intercom systems*

Versatile and stylish

- Serial electrical interface
- Surface mounting with fixed face plate size
- Available satin stainless steel finish
- Landing position indicator available with adjustable arrival gong volumes and text indication fields
- Key fob operation: call or disable elevator remotely*
- PIN Code locking feature removing the need for key switches*


* Optional



Faceplate:
Asturias Satin stainless steel
Display: amber-lit
Floor buttons: max. 14 floors



Faceplate:
Velvet stainless steel amber-lit display



Faceplate:
Asturias Satin stainless steel amber-lit



Configurations

- Landing hall lantern
- Landing position indicator available with seven segment or dot matrix indicator displays (amber) mounted horizontally
- Car Operating Panel available in two versions, with seven segment or dot matrix display (amber)
- Standard COP devices include: Alarm Button, Door Open Button and Emergency Light
- COP devices can include: Door Close, Key Switches, Braille Marking Tags, KONE Remote Monitoring (KRM) and intercom interface*
- To comply with EN81-70 max number of car calls per COP = 14

* Optional

All dimensions are shown in millimeters.

For more information go to KONE.com